Digestive Disease Associates Natarajan Ravendhran, M.D., FACG Gastroenterology, Liver Diseases-Biliary Tract Disorder



Stacey 410-247-7500

COLONOSCOPY (Osmoprep)

Your Colonoscopy is scheen	duled for:	
You need to arrive at the e	ndoscopy center at:	am/pm
LOCATION:	GIDC 700 Geipe Road Suite 220 Catonsville, MD 21228 410-242-3636	
****Please inform the do result in cancellation of the	ctor if you are diabetic or he procedure******	taking blood thinners. Failure to do so can
To prepare for this p	ocedure:	
You will be given a prescri	iption to be filled at your ph	armacy
(including Advil and M	ocedure stop taking aspi lotrin), iron, and vitami mended for pain during	rin or aspirin containing medications n E supplements. A daily multivitamin is this time.
3 days before your prosuch as Coumadin or P	ocedure stop fiber suppl lavix stop them at least	ements. If you are taking blood thinners 3 days before
Do not take diabetic r	nedications the night b	pefore or morning of the procedure
The day before your pr breakfast before 8 am.	ocedure on	you may have a light
After breakfast, start a	clear liquid diet.	
Avoid Red Orange and	Purple food coloring, N	No solid foods, No Milk or Milk products.
Clear Liquids		
Water Clear Broth or Bouillon Coffee or tea (no cream) White Grape Juice	Apple Juice Powdered lemonade Plain Jell-O Gatorade	Italian Ice Pulp free Orange juice

Clear Soft Drinks

Popsicles

On_				
Use	the table	below to track your dosing regimens		
	5:15 pm 5:30 pm 5:45 pm 6:00 pm	4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid		
The Morning of the procedure on				
		4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid		

Please do not take any medication the morning of your procedure

Upon arriving at the Endoscopy center you will receive IV sedation, therefore you will need to arrange for a responsible adult to take you home. The center will not release you to a transportation service or a taxi cab.

SOME FACTS ABOUT COLONOSCOPIES

To perform this test the doctor uses a lighted, flexible tube to carefully visualize your entire colon. The procedure is preformed under sedation. The doctor may take photographs and biopsies to diagnose and or remove polyps from your colon.

Alcohol of any kind is NOT considered a clear liquid.

On		
Use	e the table	below to track your dosing regimens
[] [] []	5:15 pm 5:30 pm 5:45 pm 6:00 pm	4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid
Th	e Morning	g of the procedure on
		4 Osmoprep tablets with at least 8oz of water or clear liquid 4 Osmoprep tablets with at least 8oz of water or clear liquid

Please do not take any medication the morning of your procedure

Upon arriving at the Endoscopy center you will receive IV sedation, therefore you will need to arrange for a responsible adult to take you home. The center will not release you to a transportation service or a taxi cab.

SOME FACTS ABOUT COLONOSCOPIES

To perform this test the doctor uses a lighted, flexible tube to carefully visualize your entire colon. The procedure is preformed under sedation. The doctor may take photographs and biopsies to diagnose and or remove polyps from your colon.

Alcohol of any kind is NOT considered a clear liquid.