

GASTROINTESTINAL DIAGNOSTIC CENTER 700 GEIPE ROAD, SUITE 220 CATONSVILLE, MD 21228 410-242-3636 COLONOSCOPY

0.24		
	410-247-7500	/
	X207 Jessica	
/	_ /	

DATE:	<u> </u>	
ARRIVAL TIME:	APPOINTMENT TIME:	

This procedure will be performed at the Gastrointestinal Diagnostic Center (GIDC), 700 Geipe Road, Suite 220. A colonoscopy takes approximately 20-30 minutes. You will then be taken to the recovery room, where you will remain approximately 1 hour.

You will be sedated for this procedure and will not be allowed to drive home or return to work after the procedure. Please arrange for a responsible adult to transport you to and from the center.

YOUR PROCEDURE WILL BE CANCELLED IF YOU DO NOT HAVE A RESPONSIBLE ADULT WITH YOU.

MEDICATIONS:

GENERAL INSTRUCTIONS:

- 1. If you are taking iron medications discontinue 10 days prior to preparation.
- 2. If you are taking aspirin, or aspirin containing medications, discontinue 7 days prior to preparation.
- 3. Arthritic medications should be discontinued 4 days prior to preparation.
- 4. If you are taking Metamucil, Colace, Pericolace, or a similar product, discontinue 2 days prior to preparation.
- 5. If you are **Diabetic**, please discuss your medication with your physician.

 Take ½ dose of _______ the day before your procedure, and none the morning of your procedure.
- 6. If you are taking antibiotics, you may continue as instructed.
- 7. Coumadin or other blood thinners may be stopped for several days prior to the procedure. Please discuss this with your physician.
- 8. Do not take any tranquilizers on the morning of your procedure, because you will have sedation.
- 9. If you are taking medication for your heart, you may take your medication with 4 oz. of water the morning of your procedure.
- 10. If you are taking medication for high blood pressure, please discuss this with your physician.
- 11. Please notify your physician if you are unable to complete your preparation for this procedure.

STOP:	prior to your procedure.

Golytely (Nulytely) Preparation Instructions

Fill your prescription for the Golytely and purchase 4 Dulcolax Tablets (Laxative)

diet the entire day. NO SOLID FOOD, NO MILK PRODUCTS.	you must be on a clear liquid		
WHEN DRINKING CLEAR LIQUIDS IT IS EXTREMELY IMPORTANT TO POSSIBLE.	DRINK AS MUCH WATER AS		
Mix the preparation with water to make one gallon of liquid the morning of ye	our prep.		
Start drinking the preparation at 12:00 noon. Drink the preparation over the next 4-6 hours.			
You may have other clear liquids while drinking your preparation.			
At 8:00pm take the 4 Dulcolax tablets with 8 oz. of water.	,		
You may continue to drink clear liquids until midnight if you are having a mo	rning appointment.		
*If you are having an afternoon appointment you may have clear liquids until morning of your procedure.	the		

Clear Liquids

Water

Apple Juice

Clear Broth or Bouillon

Powdered Lemonade

Coffee or Tea (Sweetened, black)

Jello (Lemon or Lime)

White Grape Juice

Gatorade

Clear Soft Drinks

Kool Aid

Ice Popsicles

DO NOT DRINK ANYTHING RED, ORANGE OR PURPLE!!!

Golytely (Nulytely) Preparation Instructions

Fill your prescription for the Golytely and purchase 4 Dulcolax Tablets (Laxative)

The day before your procedure is	you must be on a clear liquid			
WHEN DRINKING CLEAR LIQUIDS IT IS EXTREMELY IMPORTANT TO DRINK AS MUCH WATER AS POSSIBLE.				
Mix the preparation with water to make one gallon of liquid the morning of your prep.				
Start drinking the preparation at 12:00 noon. Drink the preparation over the	next 4-6 hours.			
You may have other clear liquids while drinking your preparation.				
At 8:00pm take the 4 Dulcolax tablets with 8 oz. of water.				
You may continue to drink clear liquids until midnight if you are having a mor	ming appointment.			
*If you are having an afternoon appointment you may have clear liquids until morning of your procedure.	the			

Clear Liquids

Water

Apple Juice

Clear Broth or Bouillon

Powdered Lemonade

Coffee or Tea (Sweetened, black)

Jello (Lemon or Lime)

White Grape Juice

Gatorade

Clear Soft Drinks

Kool Aid

Ice Popsicles

DO NOT DRINK ANYTHING RED, ORANGE OR PURPLE!!!